

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2569	(@ad<="20021111" or @pd<="20021111" or @rlan<="20021111" or @rlad<="20021111" or @rlpn<="20021111") and (queue\$5) with (packet\$4) near3 (parameter\$2 or field\$ or information\$4 or header\$2)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 14:15
S2	1414	(@ad<="20021111" or @pd<="20021111" or @rlan<="20021111" or @rlad<="20021111" or @rlpn<="20021111") and (queue\$5) with (packet\$4) near2 (parameter\$2 or field\$ or information\$4 or header\$2) and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 14:19
S3	1542	(@ad<="20021111" or @pd<="20021111" or @rlan<="20021111" or @rlad<="20021111" or @rlpn<="20021111") and (queue\$5) near3 (packet\$4 or stream\$2 or flow) near2 (parameter\$2 or field\$ or information\$4 or header\$2 or priorit\$5) and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 14:28
S4	666	(@ad<="20021111" or @pd<="20021111" or @rlan<="20021111" or @rlad<="20021111" or @rlpn<="20021111") and (queue\$5) near3 (packet\$4 or stream\$2 or flow) near2 (parameter\$2 or field\$ or information\$4 ) and ("370"). clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 14:47
S5	164	(@ad<="20021111" or @pd<="20021111" or @rlan<="20021111" or @rlad<="20021111" or @rlpn<="20021111") and (queue\$5) adj3 (packet\$4 or stream\$2 or flow) adj2 (parameter\$2 or field\$ or information\$4 ) and ("370"). clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 14:47
S6	1	("20020075882").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/03/13 15:35

S7	0	(@ad<="20021111" or @pd<="20021111" or @rlan<="20021111" or @rlad<="20021111" or @rlpn<="20021111") and (queue\$5) near3 (packet\$4 or stream\$2 or flow) near2 (parameter\$2 or field\$ or information\$4 ) and ("370"). clas. with (controller\$2 or manager\$2)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 16:13
S8	100	(@ad<="20021111" or @pd<="20021111" or @rlan<="20021111" or @rlad<="20021111" or @rlpn<="20021111") and (queue\$5) near3 (packet\$4 or stream\$2 or flow) near2 (parameter\$2 or field\$ or information\$4 ) with (controller\$2 or manager\$2) and ("370"). clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 16:13
S9	335	(@ad<="20021111" or @pd<="20021111" or @rlan<="20021111" or @rlad<="20021111" or @rlpn<="20021111") and (parameter\$2 or field\$ or information\$4 or qos or priority ) queue\$2 with (controller\$2 or manager\$2) and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 16:18
S10	18	(@ad<="20021111" or @pd<="20021111" or @rlan<="20021111" or @rlad<="20021111" or @rlpn<="20021111") and (parameter\$2 or field\$) queue \$2 with (controller\$2 or manager\$2) and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 16:19
S11	217	(@ad<="20021111" or @pd<="20021111" or @rlan<="20021111" or @rlad<="20021111" or @rlpn<="20021111") and (table\$2 with (priorit\$5 or qos)) with (controller\$2 or manager\$2) and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 16:32

S12	62	(@ad<="20021111" or @pd<="20021111" or @rlan<="20021111" or @rlad<="20021111" or @rlpn<="20021111") and (table\$2 near2 (priorit\$5 or qos)) with (controller\$2 or manager\$2) and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 16:32
S13	10	(@ad<="20021111" or @pd<="20021111" or @rlan<="20021111" or @rlad<="20021111" or @rlpn<="20021111") and (table\$2 near2 (priorit\$5 or qos)) with (buffer\$2 or queue \$2 or memory\$4) near (controller\$2 or manager\$2 or control) and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 16:33
S14	4	(@ad<="20021111" or @pd<="20021111" or @rlan<="20021111" or @rlad<="20021111" or @rlpn<="20021111") and hash adj2 (queue\$2) and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 16:38
S15	1	(US-20040062245-\$.did.	US-PGPUB	ADJ	OFF	2009/03/13 16:41
S16	82	(@ad<="20021111" or @pd<="20021111" or @rlan<="20021111" or @rlad<="20021111" or @rlpn<="20021111") and hash with (queue\$2) and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 16:50
S17	107	(@ad<="20021111" or @pd<="20021111" or @rlan<="20021111" or @rlad<="20021111" or @rlpn<="20021111") and header\$2 (queue\$2) and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/13 16:58
S18	2	(@ad<="20021111" or @pd<="20021111" or @rlan<="20021111" or @rlad<="20021111" or @rlpn<="20021111") and (playout or play\$3 out or deque\$6 or de queu\$5) with header\$2 (queue\$2) and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/04/12 19:48

S19	0	(@ad<="20021111" or @pd<="20021111" or @rlan<="20021111" or @rlad<="20021111" or @rlpn<="20021111") and (playout or play\$3 out or deque\$6 or de queu\$5) with hash\$2 (queue\$2) and ("370"). clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/04/12 19:49
S20	0	(@ad<="20021111" or @pd<="20021111" or @rlan<="20021111" or @rlad<="20021111" or @rlpn<="20021111") and (playout or play\$3 out or deque\$6 or de queu\$5) with hash\$2 near (queue\$2) and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/04/12 19:50
S21	0	(@ad<="20021111" or @pd<="20021111" or @rlan<="20021111" or @rlad<="20021111" or @rlpn<="20021111") and (prior\$6 or order\$5 or reorder \$5 or schedul\$6) iwth header \$2 (queue\$2) and ("370"). clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/04/12 20:53
S22	28	(@ad<="20021111" or @pd<="20021111" or @rlan<="20021111" or @rlad<="20021111" or @rlpn<="20021111") and (prior\$6 or order\$5 or reorder \$5 or schedul\$6) with header \$2 (queue\$2) and ("370"). clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/04/12 20:53
S23	85	(@ad<="20021111" or @pd<="20021111" or @rlan<="20021111" or @rlad<="20021111" or @rlpn<="20021111") and process\$5 with header\$2 with real time and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/04/13 02:10
S24	2	(@ad<="20021111" or @pd<="20021111" or @rlan<="20021111" or @rlad<="20021111" or @rlpn<="20021111") and process\$5 with priorit\$4 with header\$2 with real time and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/04/13 02:11

S25	41	(@ad<="20021111" or @pd<="20021111" or @rlan<="20021111" or @rlad<="20021111" or @rlpn<="20021111") and process\$5 near4 header\$2 with real time and ("370"). clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/04/13 02:18
S26	1	("6094715").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/13 05:03
S27	0	(@ad<="20021111" or @pd<="20021111" or @rlan<="20021111" or @rlad<="20021111" or @rlpn<="20021111") and tables with class of service and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/04/13 05:14
S28	242	(@ad<="20021111" or @pd<="20021111" or @rlan<="20021111" or @rlad<="20021111" or @rlpn<="20021111") and table\$2 with (class of service or cos) and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/04/13 05:14
S29	0	(@ad<="20021111" or @pd<="20021111" or @rlan<="20021111" or @rlad<="20021111" or @rlpn<="20021111") and table\$2 with (each or every) near2 (class of service or cos) and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/04/13 05:47
S30	106	(@ad<="20021111" or @pd<="20021111" or @rlan<="20021111" or @rlad<="20021111" or @rlpn<="20021111") and tables same (class of service or cos) and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/04/13 06:20
S31	279	(@ad<="20021111" or @pd<="20021111" or @rlan<="20021111" or @rlad<="20021111" or @rlpn<="20021111") and tables with (class of service or cos)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/04/13 06:20
S32	0	(@ad<="20021111" or @pd<="20021111" or @rlan<="20021111" or @rlad<="20021111" or @rlpn<="20021111") and tables with (class of service)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/04/13 06:20

S33	0	(@ad<="20021111" or @pd<="20021111" or @rlan<="20021111" or @rlad<="20021111" or @rlpn<="20021111") and tables same "same" near2 (class of service or cos) and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/04/13 06:26
S34	6	(@ad<="20021111" or @pd<="20021111" or @rlan<="20021111" or @rlad<="20021111" or @rlpn<="20021111") and tables same (single or one) near2 (class of service or cos) and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/04/13 06:41
S35	2	(US-20080025295-\$).did. or (US-7499456-\$).did.	US-PGPUB; USPAT	ADJ	OFF	2009/04/13 06:56
S36	1	S35 and (stream or flow) with (priorit\$4 or class\$4 or cos)	US-PGPUB; USPAT	ADJ	OFF	2009/04/13 06:56
S37	99	(@ad<="20021111" or @pd<="20021111" or @rlan<="20021111" or @rlad<="20021111" or @rlpn<="20021111") and (packet\$2 near2 (stream\$2 or flow\$2) with high priorit\$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/04/13 07:00
S38	9	(@ad<="20021111" or @pd<="20021111" or @rlan<="20021111" or @rlad<="20021111" or @rlpn<="20021111") and (packet\$2 near2 (stream\$2 or flow\$2) with high priorit\$5) and (wfr or dfr or wred)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/04/13 07:01
S39	3	(US-20080025295-\$).did. or (US-7342887-\$ or US- 7499456-\$).did.	US-PGPUB; USPAT	ADJ	OFF	2009/04/13 07:04
S40	12	(@ad<="20021111" or @pd<="20021111" or @rlan<="20021111" or @rlad<="20021111" or @rlpn<="20021111") and (packet\$2 near2 (stream\$2 or flow\$2) with high priorit\$5 with order\$2)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/04/13 07:05

S41	9	(@ad<="20021111" or @pd<="20021111" or @rlan<="20021111" or @rlad<="20021111" or @rlpn<="20021111") and (packet\$2 near2 (stream\$2 or flow\$2) with priorit\$5 with order\$2) and (wfq or dfr or wred)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/04/13 07:07
S42	11	(@ad<="20021111" or @pd<="20021111" or @rlan<="20021111" or @rlad<="20021111" or @rlpn<="20021111") and (single or one ) near2 queue with virtual queues	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/04/13 07:16
S43	2	"US 20030081623"	US-PGPUB; USPAT; USOCR; DERWENT	ADJ	OFF	2009/04/13 07:17

**4/ 13/ 2009 9:38:03 AM****C:\ Documents and Settings\ kcehic\ Desktop\ apps\ 10534346\ 346.wsp**